

Luxor 12-Tablet/Chromebook

Vertical Wall / Desk Charging Box

Instruction Manual



Provided by

MyBinding.com

When Image Matters.

Call Us at 1-800-944-4573

LUXOR


INNOVATIVE WORKSPACE PRODUCT SOLUTIONS

Tablet / Chromebook Charging Station

NOTE: Two people are required to attach this charging station to a wall.

NOTE: Hardware provided is intended for drywall installation only.


PARTS LIST



TOOLS REQUIRED


Tape measure
Level
Drill
1/4" drill bit (no stud)
1/8" drill bit (stud)
Extended drive phillips
Stud finder
Pencil

SURFACE MOUNTING



1. Place unit in the desired location.
2. Mark all four holes with a pencil.
3. Remove the unit and confirm holes are in the correct location.
4. Drill holes with the 1/8" drill bit and place four #3 screws partially into the holes (two-thirds).
5. Return the unit to the location and secure in place with four #3 screws, while the unit is on the surface.
6. Tighten all four #3 screws.
7. Cover #3 screws with #4 plastic caps from the inside of unit.

WALL MOUNTING



Assistance required on all steps

1. Place unit in the desired location.
2. Level the unit and hold in place.
3. Mark all four holes with a pencil (**see above for hole location**).
4. Remove the unit and confirm holes are in the correct location.
5. If mounting to a stud (**recommended**), drill holes with the 1/8" drill bit and place two #2 screws partially into top holes (two-thirds).
6. If mounting to drywall, drill holes with the 1/4" drill bit and place #1 anchors in the holes, followed by two #2 screws partially into top anchors (two-thirds).
7. Return the unit to the location and line-up top two #2 screws within keyholes.
8. Secure unit in place with two #2 screws on bottom, while unit is on the wall.
9. Tighten all four #2 screws.
10. Cover #2 screws with #4 plastic caps from the inside of unit.

LUXOR


INNOVATIVE WORKSPACE PRODUCT SOLUTIONS

Tablet / Chromebook Charging Station

NOTE: Two people are required to attach this charging station to a wall.


NOTE: Hardware provided is intended for drywall installation only.

PARTS LIST



TOOLS REQUIRED

Tape measure
Level
Drill
1/4" drill bit (no stud)
1/8" drill bit (stud)
Extended drive phillips
Stud finder
Pencil



9620 NE Tanasbourne, Dr. Suite 250, Hillsboro, OR 97124

sales@mybinding.com

1-800-944-4573