

Count AccuCreaser Air Modular Digital Creasing Machine

Brochure



Provided by

MyBinding.com

When Image Matters.

Call Us at 1-800-944-4573



AccuCreaser Air



High volume creasing and perforating

Vacuum-feed operation with built-in register guide


Great companion for the COUNT KF-200

Rotary perf/score, including micro perf


User-friendly touch screen control

MyBinding.com
5500 NE Moore Court
Hillsboro, OR 97124
Toll Free: 1-800-944-4573
Local: 503-640-5920

Auto setups of all the following:




SELECT CREASE




CUSTOM MORE LAST JOB BACK

SELECT CREASE




BACK

Our top-of-the-line vacuum-feed creasing and perforating solution – fast, consistent and accurate.



Vacuum Feed with Register Guide



Rotary Perforating



CAM Actuated Compression Crease

The COUNT™ AccuCreaser Air provides fast, consistent quality creasing and perforating with a variety of features that make it top of its class. Get super accurate CAM actuated compression creasing with rotary perf/score capabilities, including micro-perf (up to four at a time), and automated distance recognition to support auto set-ups for a variety of creases, even perfect bind set-up. The AccuCreaser Air utilizes a bottom vacuum paper feed with a built-in register guide to ensure accuracy with every sheet.



AccuCreaser Air

A quality vacuum-feed solution for high volume creasing and perforating with maximum speed and accuracy.



Features

- Provides modes for creasing, perforating or feeding.
- Bottom vacuum feed with sheet spacing control.
- CAM actuated compression creasing ensures maximum crease accuracy.
- Automated distance recognition allows auto setups for your most common creases and corresponding folds, including perfect bind.
- Perform up to 4 perfs at a time (including micro perf).
- Includes a sheet counter (for both batch and total sheet count).
- Two-sided die creasing rod accommodates for heavier stock – simply remove and flip over to change from narrow to wide crease.
- User-friendly touch screen for easy set up and control of the machine.
- An ideal companion to the COUNT KF-200 for inline folding.
- Clear top lid provides visibility and easy internal access.

Automatic Set-Up for Many Common Folds

Half
Tri-Fold
Z-Fold
Letter Fold
Roll Fold
Gate Fold
Double Gate Fold
Double Parallel Fold
Perfect Bind - No Hinge
Perfect Bind - Single Hinge
Perfect Bind - Double Hinge

Specifications

Model:	AccuCreaser Air
Model No.:	ACTREG
Paper Feed:	Vacuum
Weight:	300 lbs (136 kg)
Max Compression Crease: (sheets per hour)	5,500
Max Rotary Perf/Score Speed: (sheets per hour)	12,000
Paper Weight Range: (gsm)	60 - 350
Dimensions:	56.0 L x 30.0 W x 44.0 H in (142.3 x 76.2 x 111.8 cm)
Max Sheet Size:	24.0 L x 18.0 W in (61.0 x 45.7 cm)
Min Sheet Size:	4.5 L x 6.0 W in (15.2 x 11.4 cm)
Electrical:	115 V, 60 Hz, 20 A or 230 V, 50 Hz, 20 A
Made in:	U.S.A.



MyBinding.com
5500 NE Moore Court
Hillsboro, OR 97124
Toll Free: 1-800-944-4573
Local: 503-640-5920



Martin Yale™