

Count FC1 14 A

Air-Fed Digital Creasing/ Perforating/Numbering Machine

Brochure



Provided by

MyBinding.com
When Image Matters.

Call Us at 1-800-944-4573



FC114 FC114A

MyBinding.com
5500 NE Moore Court
Hillsboro, OR 97124
Toll Free: 1-800-944-4573
Local: 503-640-5920



The only all-in-one numbering, creasing and perforating solution

Choose vacuum or friction paper feed


Automatic sheet set-up with a single touch

Includes 2 pneumatic numbering heads

User-friendly touch screen control

Auto setups of all the following:


SELECT CREASE



HALF TRI-FOLD Z-FOLD LETTER

CUSTOM MORE LAST JOB BACK

SELECT CREASE



ROLL GATE DOUBLE GATE DOUBLE PARALLEL

PERFECT BINDING SCORE BACK

PERFECT BIND

BOOK THICKNESS IN MM



DOUBLE HINGE SINGLE HINGE NO HINGE

BACK

One easy-to-use machine to meet all your numbering, creasing and perforating needs.



Rotary Perforating



CAM Actuated
Compression Creasing



Numbering Head Wheel
With Font Style Gothic (7)

With the investment in a single machine, you can handle high quality numbering, creasing and perforating all-in-one. The COUNT FC114 is available with reliable friction paper feed, or choose the FC114A bottom vacuum-feed machine. Both deliver accurate CAM actuated compression creasing with 2 crease widths, pneumatic numbering up to 24 times virtually anywhere on the sheet, plus perforating and optional micro-perforating. It's a compact, incredibly easy to use and highly versatile "all in one" solution that includes automatic "one-touch" set-ups.



FC114, FC114A

The only all-in-one solution for quality numbering, creasing and perforating is compact, versatile and easy to use.




Features

- Choose the reliable top friction feed option (FC114) or the bottom vacuum feed (FC114A) with register guide.
- Simple programming allows you to number, crease or perforate individually.
- Creasing features include:
 - CAM actuated compression creasing.
 - Two-sided die creasing rod accommodates for heavier stock – simply remove and flip over to change from narrow to wide crease.
 - Automated distance recognition – allows auto setups for your most common creases and corresponding folds.
- Numbering features:
 - Includes reliable pneumatic, Gothic wheel reverse numbering heads – with 7 digits, 4 drop zeros and 4 repeats.
 - Program each numbering head individually for multiple numbering.
 - Flexibility to apply numbers virtually anywhere on a sheet – from lead edge, place numbers within 1 mm of previous number.
 - Number single sheets, or crash number up to a 10-part carbonless form.
 - Choice of black or red ink, in patented self-inking disposable cartridges – no re-inking required! – for approx. 25,000 impressions per cartridge.
- Complete perforating assembly included, with linear perf capabilities up to 4 perfs per sheet – Optional micro-perf and score wheel assemblies are available.
- FC114 includes micro-laterally adjustable feed rails and sheet counter (batch and total counting).
- Accommodates inline folders (see COUNT KF-200).
- User-friendly touch screen for easy set up and control of the machine.
- The FC114A requires a small air compressor for numbering head operation.

Specifications

Model No.:	FC114 (friction feed) FC114A (vacuum feed)
Weight:	FC114: 150 lbs (68 kg) FC114A: 220 lbs (100 kg)
Max Compression Crease: (sheets per hour)	4,500
Max Numbering Speed: (sheets per hour)	8,000
Max Rotary Perf/Score Speed: (sheets per hour)	12,000
Paper Weight Range: (gsm)	60 - 350
Dimensions:	FC114: 44.0 L x 44.0 W x 32.0 H in (111.8 x 111.8 x 81.3 cm) FC114A: 63.0 L x 29.0 W x 43.0 H in (160.0 x 73.7 x 109.2 cm)
Max Sheet Size:	24.0 L x 18.0 W in (61.0 x 45.7 cm)
Min Sheet Size:	6.0 L x 4.5 W in (15.2 x 11.4 cm)
Electrical:	110/220 V, 50/60 Hz
Made in:	U.S.A.



MyBinding.com
5500 NE Moore Court
Hillsboro, OR 97124
Toll Free: 1-800-944-4573
Local: 503-640-5920

