DestroyIt 3804 Level P-4 Cross-Cut Paper Shredder - DSH0320

Product Spec Sheet



Call Us at 1-800-944-4573

DESTROYIT® 3804

Attractively priced Centralized shredder with ECC (Electronic Capacity Control) and a super wide, 16 inch feed opening. Shred bin holds 44 gallons.

Security level P-2	6 mm strip-cut (1/4 inch) 29-31*	
Sheet capacity:		
Security level P-4	4 x 40 mm cross-cut (3/16 x 1 1/2 inches)	
Sheet capacity:	24-26*	
Security level P-5	2 x 15 mm cross-cut (3/32 x 5/8 inches)	
Sheet capacity:	12-14*	

*Certified using 8 1/2" x 11" 20 lb. bond and recommended power supply.




Comprehensive SPS safety package: Easy Switch control element uses illuminated color codes and symbols to indicate operational status and functions as an emergency stop switch; patented, electronically controlled, transparent safety shield in the feed opening; automatic power cut-off when cabinet is opened or shred bin is full; automatic reverse and power cut-off when overfed; double protection against overheating; Zero Energy

Consumption sleep mode cuts off power supply after 30 minutes of inactivity.

Automatic start and stop controlled by photo cell. Patented Electronic Capacity Control (ECC) indicator prevents jams by monitoring sheet capacity levels during operation. High quality, hardened steel cutting shafts take staples, paper clips, and credit cards (strip-cut and 4 x 40 cross-cut models take CDs / DVDs). Lifetime warranty on the cutting shafts. Quiet and powerful single phase motor rated for continuous operation. Sturdy Twin Drive System with fully enclosed gear box housing. High quality wooden cabinet mounted on casters. Convenient, environmentally friendly shred bin does not require disposable shred bags.

Specifications		
Shred volume, gallons	44	
Feed opening, inches	16	
Electrical requirements, volts	115	
Maximum horsepower	1	
Dimensions (D x W x H), inches	23 1/4 x 25 1/4 x 38 1/4	
Shipping weight, pounds	232 (sc), 233 (cc)	





DESTROYIT® 3804

Features



SOLID STEEL CUTTING SHAFTS High grade, hardened steel cutting shafts are milled in our Balingen factory and warranted for life.



EASY SWITCH Multifunction control element uses optical signals to indicate operational status and functions as an emergency stop switch.



SAFE SHREDDING OF CDs / DVDs An electronically controlled, transparent safety shield protects the operator from stray splinters of plastic.



ENVIRONMENTALLY FRIENDLY BIN Durable, lightweight shred bins can be used with or without disposable bags.



CAPACITY INDICATOR Patented Electronic Capacity Control (ECC) indicator monitors sheet capacity levels during operation to prevent jams.



QUALITY COMPONENTS Cabinet doors are equipped with high quality adjustable metal hinges.



MyBinding.com 5500 NE Moore Court Hillsboro, OR 97124 Toll Free: 1-800-944-4573 Local: 503-640-5920



