

# ***GFP 363TH 63" Top Heat Wide Format Roll Laminator***

Product Spec Sheet



*Provided by*

**MyBinding.com**  
*When Image Matters.*

Call Us at 1-800-944-4573



# Gfp

**Graphic Finishing**  
partners

**Where Finishing Comes First.**

## **Gfp 300 Series**

### **Top Heat Laminators**

Sign shops and digital printers now have an affordable option for pressure-sensitive applications. The Gfp 300 Series delivers rugged construction, labor-saving features, and high quality output in an entry level machine. Built off the 255C Cold Laminator, the 300 Series adds top heat for better overlamination, mounting and board coating results.

#### **FULLY FEATURED**

*Produce Professional results*

#### **PRODUCTIVE**

*Roll-to-Roll capability*

#### **EASY LOADING**

*3" Aluminum Quick-Grip shafts*

#### **RUGGED DESIGN**

*Metal Alloy heaters*

#### **VERSATILE**

*Lots of popular applications*



***overlamination • mounting • board pre-coating***

***Easy set-up and low maintenance with a top heat boost.***




- Labor saving Quick-Grip film shafts
- Integrated rear rewind for roll-to-roll apps
- Swing-up feed table and 38" output height
- Photoelectric eye for operator safety
- Metal Alloy heater reduces breakage
- 5" diameter rollers

MyBinding.com  
5500 NE Moore Court  
Hillsboro, OR 97124  
Toll Free: 1-800-944-4573  
Local: 503-640-5920



Integrated Rear Rewind  
makes Roll-to-Roll  
applications easy.

Media Alignment Disks  
prevent media supply  
roll from telescoping  
during operation.  
(Included)



Rugged Design  
Professional Quality  
Proven Performance  
Economically Priced

#### APPLICATIONS

Signs  
Banners  
Trade show displays  
Point-of-purchase  
Dry-erase boards  
Floor graphics  
Graphic mounting  
Photo mounting  
Window graphics  
Vehicle graphics

#### Warranty:

1 year parts & labor.  
Installation is available.

cTUVus  
Safety  
Approval



Your local dealer is:

MyBinding.com  
5500 NE Moore Court  
Hillsboro, OR 97124  
Toll Free: 1-800-944-4573  
Local: 503-640-5920

#### 355TH

#### 363TH

Laminating Width	55"	63"
Roller Diameter	5"	
Roller Gap	1"	
Main rollers	Rubber	
Rear Rewind	Integrated	
Maximum temperature	122° F	
Laminating Speed (feet/minute)	20 ft/min	
Unwinds	Top/Bottom	
LinerRewind	ChainDrive	
Pressure Adjustment	Hand Wheel	
Tension Adjustment	Single knob	
Heat method	Metal Alloy heater	
Max. roll diameter	6" OD	
Power Supply	120v 11A	
Power Consumption	1300W	
Foot Pedal	Included	
Stand with casters	Included	
Net Weight w/ stand	329 lbs.	370 lbs.
Dimensions	72" x 23.5" x 48.5"	80" x 23" x 48"
Shipping Dimensions	436 lbs. 79" x 26" x 31"	507 lbs. 87" x 26" x 31"

