

Ghent 4' Length Maprail Aluminum with 1" Cork Insert - 6 Per Carton

Product Spec Sheet



Provided by


MyBinding.com

When Image Matters.

Call Us at 1-800-944-4573

1" MAPRAIL

MyBinding.com
 5500 NE Moore Court
 Hillsboro, OR 97124
 Toll Free: 1-800-944-4573
 Local: 503-640-5920




Specifications

Ghent's maprails are the perfect tack surface when space is limited. The maprails feature an aluminum 6063-T5 rail with a 1/4" natural cork tack surface that will not shrink. The maprail can be mounted directly to the top of a board or directly to a wall. The maximum recommended load limit between mounting holes is 10lbs. These maprails are available in lengths of 4', 6', and 8'.

2" MAPRAIL

MyBinding.com
 5500 NE Moore Court
 Hillsboro, OR 97124
 Toll Free: 1-800-944-4573
 Local: 503-640-5920



Specifications

Ghent's maprails are the perfect tack surface when space is limited. The maprails feature an aluminum 6063-T5 rail with a 1/4" natural cork tack surface that will not shrink. The maprail can be mounted directly to the top of a board or directly to a wall. The maximum recommended load limit between mounting holes is 15lbs. These maprails are available in lengths of 4', 6', and 8'.