

# Choose the right HP Laminator for your home and business

HP laminators are fast, convenient and easy-to-use laminators designed to meet the needs of home, school & office environments. With a quick laminating speed of 24" per minute, our laminators are capable of accommodating documents up to 12" wide using 3 mil - 5 mil pouches. Quick warm-up times, from as little as 1 minute, HP laminators feature an auto sleep mode that activates after 60 minutes. Its ease of use and high quality of lamination makes it great for everyday laminating of photos, recipe cards, flash cards, menus, frequently used documents and much more.



# 9" Laminators



	HP 920	HP 940
Entry size	9.17"	9.17"
Rollers	<b>2 rollers</b>	<b>4 rollers</b>
Lamination	Hot & Cold	Hot & Cold
Warm-up time	2 - 3 minutes	1 minute
Laminating speed (letter size)	29 seconds	31 seconds
Hot pouch thickness	3 - 5 mil	3 - 5 mil
Maximum laminating thickness (interlayer & pouch)	0.4 mm	0.5 mm
Auto Sleep Mode	60 minutes	60 minutes
Acoustic indication (beep):	Upon Start, Ready & Auto Sleep	Upon Start, Ready & Auto Sleep
Optical indication (LED Flash):	Start, Ready & Auto Sleep	Start, Ready & Auto Sleep
Continuous laminating	Yes	Yes
Jam alert	No	Flashing REV button & constant beeping
Jam release	Yes	Electric Forward & Reverse
Starter kit included	(5) letter size, (3) 4x6 photo, (2) business card size	(15) letter size, (15) 4x6 photo, (20) business card size
Voltage & rated current	120V 60HZ/ 600W	120V 60HZ/1050W
<b>Logistics</b>		
Unit dimensions (LxWxH)	14.84" x 6" x 3.17"	14.84" x 5.71" x 3.17"
Unit weight	3.96 lbs.	5.28 lbs.
Box dimensions	15.82" x 4.56" x 7.28"	15.82" x 4.56" x 7.28"
Box weight	4.4 lbs	6.3 lbs
Quantity per master	6	4
Master dimensions (LxWxH)	16.34" x 14.25" x 15.2"	16.34" x 9.69" x 15.2"
Master weight	27.9 lbs	27 lbs

# 12" Laminators



	HP 1220	HP 1240
Entry size	12.87"	12.87"
Rollers	<b>2 rollers</b>	<b>4 rollers</b>
Lamination	Hot & Cold	Hot & Cold
Warm-up time	2 - 3 minutes	1 minute
Laminating speed (letter size)	29 seconds	31 seconds
Hot pouch thickness	3 - 5 mil	3 - 5 mil
Maximum laminating thickness (interlayer & pouch)	0.4 mm	0.5 mm
Auto Sleep Mode	60 minutes	60 minutes
Acoustic indication (beep):	Upon Start, Ready & Auto Sleep	Upon Start, Ready & Auto Sleep
Optical indication (LED Flash):	Start, Ready & Auto Sleep	Start, Ready & Auto Sleep
Continuous laminating	Yes	Yes
Jam alert	No	Flashing REV button & constant beeping
Jam release	Yes	Electric Forward & Reverse
Starter kit included	(5) letter size, (3) 4x6 photo, (2) business card size	(5) letter size, (3) 4x6 photo, (2) business card size
Voltage & rated current	120V 60HZ/ 600W	120V 60HZ/1050W
<b>Logistics</b>		
Unit dimensions (LxWxH)	18.74" x 6.22" x 3.48"	18.74" x 5.91" x 3.48"
Unit weight	5.06 lbs.	7.72 lbs.
Box dimensions	19.89" x 5.12" x 7.48"	19.89" x 5.12" x 7.48"
Box weight	6 lbs	8.7 lbs
Quantity per master	4	3
Master dimensions (LxWxH)	20.47" x 10.83" x 15.75"	20.47" x 15.94" x 8.27"
Master weight	26.2 lbs	27.1 lbs

# Thermal Laminating Pouches



	S50	S100	S200
<b>Size</b>	Letter size	Letter size	Letter size
<b>Actual pouch size</b>	9" x 11.5"	9" x 11.5"	9" x 11.5"
<b>Thickness</b>	3 mil	3 mil	3 mil
<b>Quantity</b>	50	100	200
<b>Color</b>	Clear	Clear	Clear
<b>Finish</b>	Glossy	Glossy	Glossy
<b>Logistics</b>			
Box dimensions (LxWxH)	0.39" x 9.17" x 11.65"	0.71" x 9.17" x 11.65"	1.26" x 9.17" x 11.65"
Box weight	1.38 lbs.	2.76 lbs.	5.2 lbs.
Quantity per master	20	10	6 in tray
Master dimensions (LxWxH)	18.9" x 12.28" x 4.72"	18.9" x 12.28" x 4.13"	10.83" x 8.66" x 12.2"
Master weight	27.6 lbs	27.6 lbs	31.7 lbs





Distributed by



**MyBinding**<sup>com</sup>

[www.mybinding.com](http://www.mybinding.com) • (800) 944-4573

HP is a trademark of HP Inc. or its affiliates, used by Royal Consumer Information Products under license from HP Inc.

© 2021 Royal Consumer Information Products, Inc. All rights reserved.

Specifications subject to change without notice

May, 2021