

Keencut 18" Futura Safety Flexo Plate Cutter Series 2 - FPC18

Product Spec Sheet



Provided by

MyBinding.com
When Image Matters.

Call Us at 1-800-944-4573

Flexo Plate Cutter

Extremely accurate cutter
designed for flexographic plate
preparation

KEENCUT
THE WORLD'S FINEST CUTTING MACHINES

Consistent, accurate, cutter for flexographic printing plates

- Smooth, seamless splices every time
- Bevel and 5° angled magnetic blade cartridge system
- Quick ROI through reduced waste and cutting time
- Extreme accuracy
- Cutting mat included
- Robust construction
- Safety by design
- Manufactured with premium quality materials
- Guaranteed for 5 years

'The Flexo Plate Cutter gives us unprecedented accuracy, we can trim off slices as thin as a human hair – we could never do that before.'

Andrew White, PBL



We would estimate that each Flexo Plate Cutter saves us Can\$400 a month through reducing waste and errors

Andrew White, PBL

will also cut ...

Floor graphics

Vinyl

Rubber matting

Corrugated Cardboard

Foam centred board

And many other sheet and board materials

KEENCUT

MyBinding.com

9620 NE Tanasbourne Dr.
Suite 250
Hillsboro, OR 97124
Toll Free: 1-800-944-4573
Local: 503-640-5920

Flexo Plate Cutter PRODUCT GUIDE

Robust construction

Hard wearing bearings and cutter head

- Ball bearing rollers operate on twin stainless steel tracks.
- Zero side play on the cutting head.
- Single piece aluminium base plate.



Ergonomic cutting head

Sculpted head

- Easy to use over long periods.
- Suitable for operation by right and left handed users.
- Smooth and precise sliding action with no friction under load.




Bevel and 5° angled cutting

- Cuts for seamless bevel and vertical splicing.
- Spring loaded blade holders.
- Simple blade depth adjustment.



Angled cuts allows the plate to wrap around the roller leaving virtually zero gap.



Extreme accuracy

- Sightline strip for ultra precise alignment.
- Cuts can be made to within the width of a single hair.
- Underneath of slideway is coated with silicon to prevent flexo movement.




Safety by design

- Easy to change, colour coded magnetic blader holders.
- Safety lock on vertical blade to lock in position.



Squaring arm

Easy clip on and off arm to help cut material precisely square to a pre-determined size whilst providing additional material support.




OPTIONAL EXTRAS AND ACCESSORIES

Unique roller lift and hold system

Operates in one smooth silent movement to raise or lower the cutter bar easily to free both hands for material handling and less user effort.



DIMENSIONS

	FPC18	FPC32	FPC50	FPC64	FPC84
 Cut Length	18" (46cm)	32" (81cm)	50" (127cm)	64" (163cm)	84" (214cm)
Overall Length	27.5" (70cm)	41" (105cm)	59.25" (151cm)	73.5" (187cm)	94.25" (240cm)
Packed Dimensions (L, W, H)	75 x 42 x 17cm	110 x 42 x 17cm	156 x 42 x 17cm	200 x 45 x 17cm	251 x 45 x 17cm
Packed weight	10.46 kg	13.80 kg	18.00 kg	36.90 kg	46.50 kg

