

# ***MBM 352F Tabletop Friction Paper Folding Machine***

Product Spec Sheet



Provided by  
**MyBinding.com**  
*When Image Matters.*

Call Us at 1-800-944-4573

# MBM 352F

Versatile, high speed friction folder that sets up easily for standard and custom folds.

Speed, sheets per hour	22,000*
Paper size, inches	2 x 2 3/4 to 14 x 21 1/4
Paper weight, pounds	13-110*
Sheet capacity	300*

\*May vary due to variations in paper.



Dual roller friction feed system accepts a wide variety of stocks. Adjusts in seconds for standard and custom folds. Variable speed control. Powered exit conveyor. Sheet separation from top of fanned stack. Polyurethane foam rollers eliminate the need for fold roller pressure settings. Heavy-duty, non-flexing side frames. Needle bearings for high speed production. Optional extended delivery system, crossfold for right-angle folding, and slitting, scoring, and perforating attachments.

## Specifications

Electrical requirements	115 V, 60 Hz
Dimensions (D x W x H), inches	22 1/4 x 41 3/4 x 14 1/2
Shipping weight, pounds	105

MyBinding.com  
5500 NE Moore Court  
Hillsboro, OR 97124  
Toll Free: 1-800-944-4573  
Local: 503-640-5920



# MBM 352F

## Features



### DUAL FEED ROLLERS

The dual roller feed system folds a wide range of stock.



### POWERED CONVEYOR

A powered exit conveyor ensures smooth ejection of folded paper.



MyBinding.com  
5500 NE Moore Court  
Hillsboro, OR 97124  
Toll Free: 1-800-944-4573  
Local: 503-640-5920

All technical data is approximate and subject to change. © MBM Corporation, 7/2014.