GBC Pinnacle 27 EZ Load 27" Thermal Roll Laminator - 1701720EZA





New and Improved!

GBC Pinnacle 27 EZload

Posters

Games and Game Pieces

Bus Tags

Flash Cards

Charts

Class Room Photos

Maps

Teaching Aids

Folders

Work Sheets

No matter what your project, the Pinnacle 27 EZload® roll laminator provides perfect, high quality lamination every time. Utilizing heat roller technology, expect the most consistent lamination quality with the highest clarity, even on long runs. Patented EZload® technology makes film loading foolproof using color coded end caps to ensure film is loaded correctly - regardless of user experience. Plus, with an array of improved user friendly features, laminating posters, signs, flashcards, tags and more up to 27" wide is easier than ever.

Schools, churches and more also have peace of mind knowing that the Pinnacle 27 EZload is backed by a one year warranty.

Fast, Hassle-Free Film Loading

- EZload® film loading technology makes film loading fast and easy, preventing film wraps and other hassles
- Improved open design creates added space during film loading

User Friendly Features

- Auto standby and shut off saves power
- Edge guide ensures perfect alignment for difficult projects
- Extended rear exit reduces film wraps
- Footage counter helps track film usage
- Auto reverse now works even with the heat shield to clear jams with ease.

MyBinding.com 5500 NE Moore Court Hillsboro, OR 97124 Toll Free: 1-800-944-4573 Local: 503-640-5920





MyBinding.com 5500 NE Moore Court Hillsboro, OR 97124 Toll Free: 1-800-944-4573 Local: 503-640-5920



Product Specs

. roudot opoco		
Product Number	1710720EZA	
Warm-up Time	8-10 min	
Variable Speed	Up to 10 ft./min.	
Film Supplies Supported	Nap I and Nap II EZload Gray	
Film Thickness	Up to 3 mil	
Film Width	Up to 27"	
Ready Light Indicator	Yes	
Rear Trimmer	Yes	
Footage Counter	age Counter Yes	
Reverse	Yes	
Energy Saver		
Standby Mode	2 Hrs without use	
Auto Shut-off	3 Hrs without use	
Warranty	1 year	
Dimensions	35.5" (W) x 21"(D) x 14.25"(H)	
Weight 101.2 lbs		
Power Requirements	120V, 60Hz, 6.5a	
Safety	CU, C/UL	



EZload® Film Technology



Easy to Use Control Panel



Rear Shaft Hooks



Rear Trimme



Protective Heat Shield



Adjustable Edge Guide

New EZload® Films

 ${\sf EZload}^{\circledcirc} \ {\sf Film} \ {\sf technology} \ {\sf uses} \ {\sf color} \ {\sf coded} \ {\sf end} \ {\sf caps} \ {\sf to} \ {\sf take} \ {\sf the} \ {\sf guesswork} \ {\sf out} \ {\sf of} \ {\sf film} \ {\sf loading}.$ ${\sf Look} \ {\sf for} \ {\sf gray} \ {\sf end} \ {\sf caps} \ {\sf for} \ {\sf use} \ {\sf with} \ {\sf the} \ {\sf new} \ {\sf Pinnacle} \ {\sf 27} \ {\sf EZload}.$

Thickness	Size	EZload® Film	Film Type
1.5 mil	25" x 500'	3000004EZ	Nap I EZload
1.5 mil	27" x 500'	3126061EZ	Nap I EZload
3 mil	25" x 250'	3000024EZ	Nap I EZload
1.5 mil	25" x 500'	3125311EZ	Nap II EZload
3 mil	25" x 250'	3125702EZ	Nap II EZload



