Shooter-IID High Speed In-Line Press Tabber and Counter

Information Sheet



Call Us at 1-800-944-4573

SHOOTER-IID

High Speed In-Line Tab Inserter

The **Shooter-IID** is designed to provide fast, accurate tab insertions at high speeds. The tabber can be mounted to your equipment or be free standing for mobility.

The **Shooter-IID** accurately inserts paper tabs into the receding delivery pile of sheeters, presses, paper board machines and paper converting equipment.

The **Shooter-IID** can easily be connected to your equipment by using our universal electronic coupling pick-up or our optional laser sensor.

APPLICATIONS

- In-line batching at high speeds
- Maximize press time and profit
- Stop shortages and overages
- Improve customer satisfaction

STANDARD FEATURES

- Touch Screen interface
- High Speed Tab insertion
- Counting speeds equal to your equipment
- Easily connects to your equipment
- Count erase
- Total and batch counts
- Variable knife cut delay
- Variable tape lengths





Shooter-IID shown with Base Stand



MyBinding.com 5500 NE Moore Court Hillsboro, OR 97124 Toll Free: 1-800-944-4573


Local: 503-640-5920

SHOOTER-IID

Customize your SHOOTER-IID to further enhance productivity with these options:

- Laser Sensor
- 90° Angle Tape Chute
- Swivel Bracket mount
- Custom Tape Chute Lengths (16" standard, up to 36" available)
- Distribution Box (Allows 3 or more tabbing heads to be operated by one controller)
- Stagger tabbing (Inserting tabs from alternating tabbing heads.)
- Sharp-Shooter Option (spoilage marker / flagger and wireless remote)
- Additional Tabbing Head
- Customized Programming


Examples of Shooter-IID Positions











STANDARD SPECIFICATIONS:

Net Weight.....40lbs (18 Kg)

Maximum Height With standard

Pedestal......60" (152 cm)

Minimum Height With standard

Pedestal.....20" (51 cm)

Electrical.....110V AC, 3 Amp or 220.240V AC 50/60 Hz



Authorized Distributor / Agent

MyBinding.com 5500 NE Moore Court Hillsboro, OR 97124

Toll Free: 1-800-944-4573 Local: 503-640-5920