

***SealerSales Impresse
FRM-1010I Horizontal Dry Ink
Coding Continuous Band Sealer***

Product Spec Sheet



Provided by

MyBinding.com

When Image Matters.

Call Us at 1-800-944-4573



MyBinding.com
 5500 NE Moore Court
 Hillsboro, OR 97124
 Toll Free: 1-800-944-4573
 Local: 503-640-5920

The Impressé

Band Sealer

Our newest addition to our band sealer line, the **FRM-1010 band sealer**, presents a combination of elegance and functionality. Providing a wider seal (15mm), the **FRM-1010** provides the most professional and efficient band sealer on the market. The **FRM-1010** band sealer is a heavier duty model compared to our CBS and HLM band sealer lines and also provides better sealing quality. The **FRM-1010** is suitable for sealing all types of thermoplastic materials and bags. This sealer can be used in a variety of fields such as the food, medical, and cosmetic industries. Can seal 20-30 6" poly bags in one minute.

FEATURES

- Durable stainless steel construction
- Easy to operate – minimal operator training
- Fast warm up time
- Solid state digital temperature controller to maintain seal bar temperature for consistent seal quality
- Fully adjustable conveyor (conveyor height and depth in relation to seal bars can be adjusted)
- Motorized rubber conveyor for speed control
- Knurled pressure rolls with variable pressure adjustment
- Sealing method – constant/direct heat accompanied with a pair each of cooling and heating blocks
- Seal width – 15mm [Optional: 20mm (3/4")]
- Unit feeds right to left

OPTIONS

- Dry ink coding – font size – 10.5PT (standard is 18PT)



FRM-1010I - HORIZONTAL



FRM-1010II - VERTICAL

SPECIFICATIONS			
POWER	110V / 60Hz	BAG SIZE (FILLED)- VERTICAL	MINIMUM - 7 7/8" MAXIMUM – 12 1/2"
MOTOR POWER	50W	MAX CONVEYOR LOAD	6.6LBS
SEALING SPEED	0-472 INCHES/MINUTE	CHARACTER SIZE (TWO TYPES AVAILABLE)	R-TYPE: PT 18PT – 2 LINES OPTION: PT 10.5 – 3 LINES
SEAL WIDTH	15MM / OPTIONAL: 20MM	PRINTING HEATING POWER (W)	40 x 2
TEMPERATURE RANGE	0-300°C	PRINTING OPTIONS	20 CHARACTERS/LINE
SEALING POWER (W)	300 X 2	DIMENSIONS	42" x 18" x 20"
CONVEYOR SIZE	42" x 8"	WEIGHT	NW - 119LBS / GW - 150

The Impressé

Band Sealer

FRM-1010II - Vertical



Guide

Bag entry guide

Sealing Height Knobs

Adjust sealing height on both sides of supports

FRM-1010I - Horizontal



Ink Wheel Adjusting Device

Lighten or darken print on seal line

Next Gen Heating Blocks

Printing Wheel & Ink Roller for Printing

Circuit Breaker

Flip circuit breaker to "on" position


Conveyor Height Adjustment

Adjusts height of conveyor table (10-40mm) - Horizontal Only

Guide

Bag entry guide

Control Panel



Power Switch

Heat Switch

Turns on temperature controller to activate sealing

Fan

Activates printing function (dry ink coding)

Printing Switch

Activates printing function (dry ink coding)

SEALER

POWER

HEAT

FAN

PRINTER

TEMPERATURE REGULATE

EMERGENCY STOP

CODING SEAT

INK TEMPERATURE

SEALING SPEED

TEMPERATURE REGULATE

Emergency Stop

Coding Seat
Adjusts printing position

Ink Temperature Adjustment

Conveyor Speed Adjustment

Digital Temp Controller