Best-Rite 18" x 24" Fabric Cork-Plate Bulletin Board Tackboard

Product Spec Sheet



Call Us at 1-800-944-4573

Fabric Cork-Plate Tackboard

with Aluminum Trim











Fabric Cork-Plate Tackboard - Aluminum Trim

- Durable and non-fraying fabric over an Cork-Plate substrate creates an economical and attractive tackboard.
- Polyolefin fabric is washable and unaffected by most common household chemicals, salts, and cleansers. Fabric is also treated to resist the growth of stain- and odor-causing microbes, and is available in three colors.
- Cork-Plate consists of .25" layer of natural cork bonded to .25" layer of moisture-resistant substrate for maximum tack-holding power and durability.
- Featured with standard .88" clear anodized aluminum trim with hairline mitered corners. Anodized black aluminum trim available at an upcharge.
- TAA compliant. Manufactured in the US of foreign and domestic materials. Ten year limited warranty.

Part No.	Product Dimensions	Ship Wt.
Fabric Cork-Plate Tackboard - Al	uminum Trim	
333AA*	1.5'H x 2'W	6 lbs
333AB*	2'H x 3'W	14 lbs
333AC**	3'H x 4'W	22 lbs
333AD	4'H x 4'W	44 lbs
333AF	4'H x 5'W	55 lbs
333AG	4'H x 6'W	66 lbs
333AH	4'H x 8'W	88 lbs
333AK	4'H x 10'W	110 lbs
333AM	4'H x 12'W	140 lbs

^{*}Ships UPS **Ships UPS OS1 *Available while supplies last

Shipping weights are listed on a per item basis and may vary based on quantities ordered. All boards listed as 3'H x 4'W actually measure 33.75'H x 48'W due to shipping restrictions.

Fabric Add-Cork Technical Information

- Fabric consists of 100% woven Polyolefin with a latex backing.
- Tested by an independent laboratory against standards for upholstery fabrics set by the National Association of Furniture

 Moniforturers

 Tested by an independent laboratory

 Applied to the Company

 Tested by an independent laboratory

 Tested by the National Association of Furniture

 Tested by the National Assoc
- Washable and unaffected by most household chemicals, salts, and cleansers.
- A waterproof resin glue bonds the fabric to a .13" natural cork layer, which is permanently adhered to a .38" rigid and durable substrate.
- Vacuuming or light brushing is recommended to prevent dust and soil build up.
- Custom sizes are available.



WWW.MYBINDING.COM