

Best-Rite 18" x 24" Natural Add-Cork Bulletin Board w/ Aluminum Frame

Product Spec Sheet




Provided by

MyBinding.com
When Image Matters.

Call Us at 1-800-944-4573

Natural Add-Cork Tackboard

with Aluminum Trim



Aluminum trim
with hairline
mitered corners

Add-Cork surface
features natural
cork over a durable
substrate



PRODUCT CERTIFIED
FOR LOW CHEMICAL
EMISSIONS:
UL.COM/GG
UL 2818



Natural Add-Cork Tackboard - Aluminum Trim

- Natural Add-Cork surface gives you a traditional tackboard with excellent resiliency and tackability.
- Recyclable .13" cork surface is bonded to a durable and rigid .38" substrate for good tack-holding ability. Cork is durable and self-healing.
- Anodized aluminum trim has a .88" profile with hairline mitered corners. Black aluminum trim available at an upcharge.
- TAA compliant. Manufactured in the US of foreign and domestic materials. Ten year limited warranty. Has achieved GREENGUARD GOLD Certification.

Part No.	Product Dimensions	Ship Wt.
Natural Add-Cork Tackboard - Aluminum Trim		
302AA*	1.5'H x 2'W	6 lbs
302AB*	2'H x 3'W	12 lbs
302AC**	3'H x 4'W	20 lbs
302AD	4'H x 4'W	39 lbs
302AF	4'H x 5'W	46 lbs
302AG	4'H x 6'W	49 lbs
302AH	4'H x 8'W	64 lbs
302AK	4'H x 10'W	71 lbs
302AM	4'H x 12'W	104 lbs

*Ships UPS **Ships UPS OS1

Shipping weights are listed on a per item basis and may vary based on quantities ordered. All boards listed as 3'H x 4'W actually measure 33.75"H x 48"W due to shipping restrictions.

Rev 03/17/16 RMC

Natural Add-Cork Technical Information

- Natural Add-Cork surface offers excellent resiliency and tack holding properties.
- The cork layer consists of finely grained composition cork produced with .5mm granulated cork and a polyurethane binder.
- The .13" thick 100% natural cork layer is permanently bonded to a .38" thick layer of rigid and durable substrate.
- Boards are factory framed. Custom sizes are available



WWW.MYBINDING.COM