

# ***Best-Rite 18" x 24" Natural Cork-Plate Aluminum Frame Bulletin Board***

Product Spec Sheet




*Provided by*

**MyBinding.com**  
*When Image Matters.*

Call Us at 1-800-944-4573

# Natural Cork-Plate Tackboard

with Aluminum Trim



PRODUCT CERTIFIED  
FOR LOW CHEMICAL  
EMISSIONS:  
UL.COM/GG  
UL 2818





# Natural Cork-Plate Tackboard - Aluminum Trim

- Natural Cork-Plate surface creates a traditional tackboard with superior resiliency and tackability.
- Recyclable .25 cork surface is bonded to a moisture-resistant and exceptionally durable .25" substrate for good tack-holding ability. Cork is durable and self-healing.
- Anodized aluminum trim has a .88" profile with hairline mitered corners. Black aluminum trim available at an upcharge.
- TAA compliant. Manufactured in the US of foreign and domestic materials. Ten year limited warranty. Has achieved GREENGUARD GOLD Certification.

Part No.	Product Dimensions	Ship Wt.
<b>Natural Cork-Plate Tackboard - Aluminum Trim</b>		
303AA*	1.5'H x 2'W	6 lbs
303AB*	2'H x 3'W	14 lbs
303AC**	3'H x 4'W	22 lbs
303AD	4'H x 4'W	44 lbs
303AF	4'H x 5'W	55 lbs
303AG	4'H x 6'W	66 lbs
303AH	4'H x 8'W	88 lbs
303AK	4'H x 10'W	110 lbs
303AM	4'H x 12'W	140 lbs

\*Ships UPS \*\*Ships UPS OS1  
Shipping weights are listed on a per item basis and may vary based on quantities ordered. All boards listed as 3'H x 4'W actually measure 33.75"H x 48"W due to shipping restrictions.

## Natural Cork-Plate Technical Information

- Natural Cork-Plate surface offers superior resiliency and tack holding properties.
- The cork layer consists of finely grained composition cork produced with .5mm granulated cork and a polyurethane binder.
- The .25" thick 100% natural cork layer is permanently bonded to a .25" thick layer of rigid and moisture-resistant substrate.
- Boards are factory framed. Custom sizes are available



WWW.MYBINDING.COM