Best-Rite 1.5' x 2' ReTire Bulletin Board with Aluminum Frame

Product Spec Sheet



Call Us at 1-800-944-4573

ReTire Tackboard

with Aluminum Trim









ReTire Tackboard - Aluminum Trim

- ReTire tackboards are made with a multi-colored rubber surface that is 100% recycled. Rubber content is 90% post-consumer and 10% post-industrial.
- Rubber naturally resists most chemicals and stain- and odor-causing microbes, and is easy to clean and maintain.
- Virtually indestructible, ReTire is an ideal choice for classrooms, hallways, auditoriums, gymnasiums and fitness areas, industrial spaces, and other high traffic areas, offering excellent sound and shock absorbency.
- Anodized aluminum trim has a .88" profile with hairline mitered corners. Black aluminum trim available at an upcharge.
- TAA compliant. Manufactured in the US of foreign and domestic materials. Twenty year limited warranty.

Part No.	Product Dimensions	Ship Wt.
ReTire Tackboard - Aluminum Tri	m	
320AA*	1.5'H x 2'W	5 lbs
320AB*	2'H x 3'W	10 lbs
320AC**	3'H x 4'W	17 lbs
320AD	4'H x 4'W	42 lbs
320AF	4'H x 5'W	50 lbs
320AG	4'H x 6'W	54 lbs
320AH	4'H x 8'W	66 lbs
320AK	4'H x 10'W	79 lbs
320AM	4'H x 12'W	114 lbs

*Ships UPS **Ships UPS 0S1

Shipping weights are listed on a per item basis and may vary based on quantities ordered. All boards listed as 3'H x 4'W actually measure 33.75"H x 48"W due to shipping restrictions.

ReTire Technical Information

- ReTire surfaces offer outstanding resiliency and tack holding properties.
- Surface resists most chemicals, stain- and odor-causing microbes, is easy to clean, and is sound- and shock-absorbent.
- ReTire is 100% recycled rubber: 90% postconsumer and 10% postindustrial.
- The .06" thick rubber layer is permanently bonded to a .44" thick layer of lightweight tackable substrate.
- Boards are factory framed. Custom sizes are available



WWW.MYBINDING.COM