

Best-Rite 2' x 3' Rubber-Tak Bulletin Board with Silver Presidential Trim

Product Spec Sheet



Provided by


MyBinding.com
When Image Matters.

Call Us at 1-800-944-4573


Rubber-Tak® Tackboard

with Presidential Trim






95 - Tan




96 - Black



97 - Blue



99 - Red†



104 - Green†

Rubber-Tak® Tackboard - Presidential Trim

- Rubber-Tak® tackboards are made with recycled rubber, providing superior resilience and self-healing qualities.
- Rubber naturally resists most chemicals and stain- and odor-causing microbes, and is easy to clean and maintain.
- Virtually indestructible, Rubber-Tak® is an ideal choice for classrooms, hallways, auditoriums, gymnasiums and fitness areas, industrial spaces, and other high traffic areas, offering excellent sound and shock absorbency.
- Rounded anodized aluminum Presidential Trim includes injection-molded curved corner pieces for an upscale and modern board.
- TAA compliant. Manufactured in the US of foreign and domestic materials. Fifty year limited warranty. Has achieved GREENGUARD GOLD Certification.

Part No.	Product Dimensions	Ship Wt.
Rubber-Tak Tackboard - Presidential Trim (Silver)		
321PB*	2'H x 3'W	10 lbs
321PC**	3'H x 4'W	17 lbs
321PD	4'H x 4'W	42 lbs
321PG	4'H x 6'W	54 lbs
321PH	4'H x 8'W	66 lbs
Rubber-Tak Tackboard - Presidential Trim (Black)		
321PB-T1*	2'H x 3'W	10 lbs
321PC-T1**	3'H x 4'W	17 lbs
321PD-T1	4'H x 4'W	42 lbs
321PG-T1	4'H x 6'W	54 lbs
321PH-T1	4'H x 8'W	66 lbs

*Ships UPS **Ships UPS OS1

†Color available while supplies last.

Shipping weights are listed on a per item basis and may vary based on quantities ordered. All boards listed as 3'H x 4'W actually measure 33.75"H x 48"W due to shipping restrictions.

Rev 01/11/17 RMC

Rubber-Tak® Technical Information

- Rubber-Tak surfaces offer outstanding resiliency and tack holding properties.
- Surface resists most chemicals, stain- and odor-causing microbes, is easy to clean, and is sound- and shock-absorbent.
- The .06" thick rubber layer consists of recycled rubber and is permanently bonded to a .44" thick layer of lightweight tackable substrate.
- Boards are factory framed. Custom sizes are available.



WWW.MYBINDING.COM