

# ***Best-Rite 2' x 3' Splash Cork Bulletin Board with Aluminum Trim***

Product Spec Sheet



*Provided by*

**MyBinding.com**  
*When Image Matters.*

Call Us at 1-800-944-4573

# Splash-Cork Tackboard

with Aluminum Trim



10 Year  
Limited  
Warranty



PRODUCT CERTIFIED  
FOR LOW CHEMICAL  
EMISSIONS:  
ULCOM/GG  
UL 2818





# Splash-Cork Tackboard - Aluminum Trim

- Natural cork is blended with a tinted binder to create Splash-Cork, a tackable surface that adds a subtle element of color to any environment. Available in red, green, or blue.
- Splash-Cork boards are flexible, durable, and self-healing.
- Anodized aluminum trim has a .88" profile with hairline mitered corners. Black aluminum trim available at an upcharge.
- TAA compliant. Manufactured in the US of foreign and domestic materials. Ten year limited warranty. Has achieved GREENGUARD GOLD Certification.

Part No.	Product Dimensions	Ship Wt.
<b>Splash-Cork Tackboard - Aluminum Trim</b>		
300AA*	1.5'H x 2'W	5 lbs
300AB*	2'H x 3'W	10 lbs
300AC**	3'H x 4'W	17 lbs
300AD	4'H x 4'W	42 lbs
300AF	4'H x 5'W	50 lbs
300AG	4'H x 6'W	53 lbs
300AH	4'H x 8'W	65 lbs
300AK	4'H x 10'W	78 lbs
300AM	4'H x 12'W	113 lbs

\*Ships UPS \*\*Ships UPS OS1  
Shipping weights are listed on a per item basis and may vary based on quantities ordered. All boards listed as 3'H x 4'W actually measure 33.75"H x 48"W due to shipping restrictions.

# Splash-Cork Technical Information

- Splash-Cork surfaces offer outstanding resiliency and tack holding properties.
- The .06" thick cork layer consists of finely grained 100% natural cork held together with a colored binder.
- The cork layer is permanently bonded to a .44" thick layer of lightweight tackable substrate.
- Boards are factory framed. Custom sizes are available.

