

***Best-Rite 2' x 3' VT Logic
Natural Cork Eco-Friendly
Bulletin Board with Ultra Trim***

Product Spec Sheet



Provided by

MyBinding.com
When Image Matters.

Call Us at 1-800-944-4573

VT Logic Tackboard

with Ultra Trim





Ultra Trim
creates clean and
minimalist lines

10 Year
Limited
Warranty



PRODUCT CERTIFIED
FOR LOW CHEMICAL
EMISSIONS:
UL.COM/GG
UL 2818





VT Logic Tackboard - Ultra Trim

- Environmentally responsible VT Logic natural cork surface creates a traditional, versatile, and economical board.
- Recyclable .13" cork surface is bonded to a .38" tackable substrate for good tack-holding ability. Cork is durable and self-healing.
- Featured with Ultra Trim for a modern, clean-lined board. Trim is a low profile .31" anodized aluminum, available in silver.
- TAA compliant. Manufactured in the US of foreign and domestic materials. Ten year limited warranty. Has achieved GREENGUARD GOLD Certification.

Part No.	Product Dimensions	Ship Wt.
VT Logic Tackboard - Ultra Trim		
E3019B*	2'H x 3'W	7 lbs
E3019C**	3'H x 4'W	13 lbs
E3019D	4'H x 4'W	20 lbs
E3019G	4'H x 6'W	30 lbs
E3019H	4'H x 8'W	38 lbs

*Ships UPS **Ships UPS OS1

Shipping weights are listed on a per item basis and may vary based on quantities ordered. All boards listed as 3'H x 4'W actually measure 33.75"H x 48"W due to shipping restrictions.

Rev 05/04/17 RMC

VT Logic Technical Information

- Natural cork surface offers excellent resiliency and tack holding properties.
- The cork layer consists of finely grained composition cork produced with .5mm granulated cork and a polyurethane binder.
- The .06" thick 100% natural cork layer is permanently bonded to a .44" thick layer of insulation board.
- Boards are factory framed. Custom sizes are available.



WWW.MYBINDING.COM