

Akiles Full Bleed CardMac Plus Electric Business Card Slitter

Instruction Manual




Provided by
MyBinding.com
When Image Matters.

Call Us at 1-800-944-4573

AKILES

Cardmac Plus

Electric Business Card Slitter




Operational Manual

SETUP & SAFETY

1. Place your *Cardmac Plus* on a sturdy table.
2. Plug the power cord into an electric outlet.
3. Make sure you use the appropriate Cardmac template for best results.
4. Turn the Power On only during the cutting operation and Turn Power off as soon as cutting is finished.
5. Keep fingers, hair, jewelry, necktie, and any loose clothing or objects away from the machine, as they may be accidentally pulled in.
6. **DO NOT** allow children to operate the machine. This is not a toy.
7. Always turn the machine off when not in use. Never leave unattended.
8. **DO NOT** touch the blades with hands.
9. **DO NOT** use if power cord is damaged.
10. **DO NOT** operate near water.

FEATURES



1ST PASS


1. Insert **ONE** 8.5 x 11" Sheet into the 1st Pass Tray.

CAUTION: Inserting more than one sheet may damage unit and void warranty.


Tips:

- If paper is too tight or too loose on the 1st Pass Paper Feed Tray, turn the 1st Pass Adjustable Side Margin Knob as needed to fit the sheet properly in the 1st Pass Tray.

- The center point of your sheet should line up with Arrow Mark 1. If needed, adjust the 1st Pass Adjustable Paper Feed Knob to move the 1st Pass Paper Feed Tray left or right to fine-tune alignment.



Arrow Mark 1



2ND PASS


2. Insert **ONE** of the cut sheets from 1st Pass into the 2nd Pass Tray. **CAUTION:** Inserting more than one sheet may damage unit and void warranty.

3. Align sheet to the 2nd Pass Side Margin Stop on the right.

Tip:

- Arrow Mark 2 should line up with the borderline between the 3rd and 4th cards. If needed, adjust the 2nd Pass Side Margin Adjustable Knob.

Arrow Mark 2
(located under back window)



4. **Press and Hold** the two Push Marks with both thumbs evenly until the sheet passes completely through the blades.

Tips:

1. Contact your distributor for the Cardmac Bleed Template.
2. Keep a clean working area by lifting the Easy-View Window and clearing any debris from the blades. **DO NOT TOUCH BLADES.**





SPECIFICATIONS

Operation Type	Electric
Cutting Style	Bleed
Max Slitting Capacity	350 GSM
Sheet Size	Letter (8.5" x 11")
Finished Card Size	2" x 3.5"
Cards Per Sheet	10
Speed	30+ Cards Per Min
Feed Style	Horizontal
Weight	21 Lbs
Dimensions	15" x 12" x 7"
Warranty	90 Days

WARRANTY

The Akiles Cardmac Plus has a warranty period of 90 days from the date of purchase. In the event of a manufacturer's defect, your distributor (at option) will repair or replace it. IMPORTANT: This warranty does not cover damages due to improper use or mistreatment of the unit, including any extraordinary event leading to the damage of the machine, whether it is reversible or not.

If the Akiles Cardmac Plus is not working properly, first follow the 1st and 2nd Pass steps and tips. If the problem persists, please contact your distributor for further instructions. Please have your machine's serial number and the purchase date ready. In the event that the machine must be returned to the distributor, it is your responsibility to properly pack and ship it, as any damages incurred during its transportation is not covered by our warranty policy.