# Fellowes Shredder Oil for High Security Models 32oz 3505801

Product Spec Sheet



Call Us at 1-800-944-4573



## SECTION 1: COMPANY AND PRODUCT IDENTIFICATION

Fellowes, Inc. 1789 Norwood Avenue Itasca, IL 60143-1095 USA

Telephone: 630.893.1600 Fax: 630.893.1648 Toll Free: 800.945.4545

**Product Name:** 3505801 Fellowes High Security Shredder Lubricant

**Description:** Lubricant

# **SECTION 2:** HAZARD IDENTIFICATION

Inhalation: May cause slight irritation.

Eyes: May cause slight irritation.

Skin: May cause slight irritation.

**Ingestion:** May cause gastrointestinal discomfort.

# SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name:CAS No.EINECS No.Maximum Weight :Severely Solvent Refined Paraffinic oil64741-88-4265-090-8>99%Phosphorodithioic Acid, O,O-di-C1-14-alkyl esters, zinc salts68649-42-3272-028-3<1.0%</td>

### SECTION 4: FIRST AID MEASURES

Inhalation: Move to fresh air.

Eyes: Flush with water.

**Skin:** Wash with soap and water.

**Ingestion:** Do not induce vomiting. Seek medical attention.

# **SECTION 5:** FIREFIGHTING MEASURES

**Flash Point:** >400F (204C) Cleveland Open Cup

Flammability Limits in Air by volume: Lower: Not explosive Upper: Not explosive

Extinguishing Media: Use dry chemical, carbon dioxode, water fog, or foam.

**Special Firefighting** 

Measures:

Do not use water except as fog.

Unusual Hazards: None



### SECTION 6: ACCIDENTAL RELEASE MEASURES

Use absorbent material and dispose of appropriately. For large spills, keep product out of sewers and advise authorities if product has entered sewers. Surfaces may become slippery after spillage.

# **SECTION 7:** HANDLING AND STORAGE

**Handling:** Keep away from heat and sources of ignition.

**Storage:** Do not store near heat or flame. Store away from strong oxidizers.

### SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

Eyes and Face: None necessary when product is used as intended.

Clothing: No special protective clothing when used as intended.

Respiratory: None necessary when product is used as intended.

**Ventilation:** Normal ventilation is adequate.

# SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

**Boiling Point:** >500F (>260C)

**Evaporation Rate:** 0

**Specific Gravity:** (water = 1): 0.86

**Solubility in Water:** 0 At 20C

**Appearance/Odor:** Thin tan liquid; bland odor.

# **SECTION 10:** STABILITY AND REACTIVITY

**Stable:** Stable under normal conditions.

Conditions to Avoid: Keep away from heat and open flame. Avoid strong oxidizing agents.

Chemical Incompatibility: Strong oxidizers

Hazardous Decomposition: None

Polymerization: Will not occur

# SECTION 11: TOXICOLOGICAL INFORMATION

Not listed on NTP, OSHA, or IARC.





### SECTION 12: ECOLOGICAL INFORMATION

No data available.

## SECTION 13: DISPOSAL CONSIDERATIONS

**Disposal Methods:** Dispose in accordance with Federal, State, and Local Regulations.

Additional Information: "Empty" containers should be completely drained.

### **SECTION 14: TRANSPORT INFORMATION**

DOT: Not regulated as a hazardous material.IATA: Not regulated as a hazardous material.IMO: Not regulated as a hazardous material.

## **SECTION 15: REGULATORY INFORMATION**

United States: The components used in this product are listed on the Toxic Substances Control Act.

Canada: All components are listed on the Canadian DSL or are exempt.

**EU:** Currently not classified according to EEC Directives.

Additional: None

# **SECTION 16: OTHER INFORMATION**

According to 29 CFR 1910.1200(b)(6)(ix) of the Code of Federal Regulations, amended July 1, 2007, the Fellowes product described in this Material Safety Data Sheet is exempt from the Hazard Communication Standard. The information contained in this MSDS is not meant to imply that this Fellowes product is covered by the OSHA Hazard Communication Standard nor meant to comply with the OSHA Hazard Communication Standard.



February 10, 2012

