

***Luxor RECLAIM Frosted Acrylic  
60" x 30" Clamp-On Sneeze  
Guard Desk Divider***

Sell Sheet



Provided by  
**MyBinding.com**  
*When Image Matters.*

Call Us at 1-800-944-4573

## RECLAIM® ACRYLIC SNEEZE GUARDS

**DIVCL**

### RECLAIM® ACRYLIC DESK DIVIDER – Clamp-On Tabletop/Desk Mount

As employees return to the workplace and students return to their schools, we must rethink our environments to help maintain separation and safe distancing.

Luxor's RECLAIM Acrylic Sneeze Guards are protective barriers that come in a variety of smart mounting options. No matter what workspace configuration you're trying to retrofit, we have a divider solution that offers easy installation and superior performance. Easy to clean and constructed of high-quality materials, RECLAIM separation panels are designed to work with your existing furniture, delivering a cost-effective alternative to the replacement of desks, tables, and cubicle walls.

Our clamp-on model offers simple assembly and effortless, tool-free attachment to the edges of most common desktops and tabletops. Rising a full 24" or 30" above the desktop surface, they are tall enough to help protect from sneezes and coughs. Choose a clear version to maintain a line of sight for open communication. Or, select a semi-opaque frosted version to double as a privacy panel for reduced distractions.

#### Specifications:

- Box includes: 1 panel and 2 clamps (24", 30", and 48" models) or 3 clamps (60" models)
- Panel material: Clear acrylic (24" and 30" tall models) or frosted acrylic (30" tall models)
- Clamp material: Powder-coated aluminum
- Panel thickness: .25"
- Required tools: Allen wrench (included)

#### Features:

- Creates barriers between people to help safeguard from coughs and sneezes
- Easy assembly with included hardware, tool-free installation
- Clear acrylic panels maintain a clear line of sight for open communication
- Semi-opaque frosted panels enhance privacy and minimize distractions
- Small gap between panel and desktop allows cables to pass through
- Easy to clean with a microfiber cloth and a solution of mild dish soap and water or commercial plastic cleaners rated safe for use on acrylics.\*
- Safe for use with water-soluble dry-erase markers\*\*


**NOTE:** DIVCL acrylic separation panels have a clamp adjustment range of .25" to 1.75". They will attach to the edges of most desktops and tabletops within between .25" and 1.75" thick, including the following Luxor products:

- All standing desks
- Adjustable workstations
- All student desks, except the STUDENT-STK1PK and STK4PK
- Square café tables
- Flip-top tables
- All lecterns

## RECLAIM® Acrylic Desk Divider – Clamp-On Tabletop/Desk Mount

### DIVCL

Perfect for desktops and tabletops from .25" to 1.75" thick, these panels are easy to install and create effective barriers between workstations.



Item #	Item Description
DIVCL-2430F	24" x 30" Frosted Acrylic Divider w/ 2 Desk/Table Clamps
DIVCL-3030F	30" x 30" Frosted Acrylic Divider w/ 2 Desk/Table Clamps
DIVCL-4830F	48" x 30" Frosted Acrylic Divider w/ 2 Desk/Table Clamps
DIVCL-6030F	60" x 30" Frosted Acrylic Divider w/ 3 Desk/Table Clamps
DIVCL-2430C	24" x 30" Clear Acrylic Divider w/ 2 Desk/Table Clamps
DIVCL-3030C	30" x 30" Clear Acrylic Divider w/ 2 Desk/Table Clamps
DIVCL-4830C	48" x 30" Clear Acrylic Divider w/ 2 Desk/Table Clamps
DIVCL-6030C	60" x 30" Clear Acrylic Divider w/ 3 Desk/Table Clamps
DIVCL-2424C	24" x 24" Clear Acrylic Divider w/ 2 Desk/Table Clamps
DIVCL-3024C	30" x 24" Clear Acrylic Divider w/ 2 Desk/Table Clamps
DIVCL-4824C	48" x 24" Clear Acrylic Divider w/ 2 Desk/Table Clamps
DIVCL-6024C	60" x 24" Clear Acrylic Divider w/ 3 Desk/Table Clamps

#### IMPORTANT WARNINGS:

**\*Proper Care and Cleaning of Acrylic – PLEASE READ BEFORE INSTALLING:** Acrylic sheeting can be damaged by harsh solvents and cleaners. Only use cleaning products labeled "commercial plastic cleaners", or mild soap and water to remove dirt and debris. When applying the cleaner, use a non-abrasive lint-free or microfiber cloth that won't scratch the surface. Never use products containing ammonia, acetone, carbon tetrachloride, scouring compounds, alcohol, bleach, aromatics, or gasoline. Chemical glass cleaners (even if they are environmentally friendly, organic, or non-scented) are also not to be used. All solvents need to be wiped clean with fresh water and blotted dry to reduce and prevent water spotting. Failure to adhere to the above guidelines can cause yellowing, cracks, and scratches in acrylic sheeting and may give the surface a frosted appearance. It will also void the Limited Warranty – our Limited Warranty does not apply to any damage caused by or the result of improper cleaning, handling, installation, operation, maintenance, pressure washing, accident, fire, natural disaster, explosion, abuse, vandalism, chlorine, chemicals from sprinkler systems, or other external forces. This warranty shall be null and void if any harmful solvents are used to clean.

**\*\*Use of Dry-Erase Markers:** Water-soluble dry-erase markers are safe for use on these acrylic panels. Other forms of dry-erase markers are not recommended because they will be difficult to erase and could possibly leave stains and ghosting.