

# ***Paitec ES5000Z Low-Volume Desktop Folder and Pressure Sealer***

Product Spec Sheet



*Provided by*

**MyBinding.com**  
*When Image Matters.*

Call Us at 1-800-944-4573

MyBinding.com  
5500 NE Moore Court  
Hillsboro, OR 97124  
Toll Free: 1-800-944-4573  
Local: 503-640-5920



# ES5000/ES5000L

the most advanced and easy-to-use desktop pressure sealer



no envelope needed  
seals single-sheet self mailers

**a greener way to mail®**

**Fold Settings Can Be Changed in Seconds**

**Folding Unit Slides Out for Easy Maintenance**




**Manual Feeder for Pre-Folded Items**

**Anti-Jam System**

**Exceptionally Quiet**

**Perfect for Processing:**


**Paychecks**  
**Invoices and Statements**  
**Tax Forms**  
**Utility Bills**  
**Expiration & Renewal Notices**  
**Promotional Coupons**  
**Event Invitations**  
**Sale Notifications**  
**Medical Results**  
**Grade Reports**  
**ID cards**





# ES5000/ ES5000L

MyBinding.com  
5500 NE Moore Court  
Hillsboro, OR 97124  
Toll Free: 1-800-944-4573  
Local: 503-640-5920




## REVOLUTIONARY FOLDING UNIT

Form size and folding positions are easy to adjust and can be set in a matter of seconds.



## MANUAL FEEDER

A simple manual feeder allows the processing of pre-folded items.



## UNIQUE SLIDING DESIGN

The entire folding unit slides out on glides for easy maintenance without the need for service technician.



## JAM FREE PRESS ROLLER

The reverse rolling system on the ES5000/ES5000L automatically reverses direction and kicks back any forms that are jammed in the pressure rollers. This eliminates the operator from having to use a tool to back out a jam.

### specifications

FORM SIZE	A4/Letter/Legal Size (Option)
INPUT TRAY	150 Sheets
SPEED	4,250 per hour
FOLD SETTING	Manual
PAPER WEIGHT	16 - 30 Lb. Bond
FOLD TYPE	Z,C,V, & Double Parallel
OUTPUT CAPACITY	200 Sheets
DUTY CYCLE	50,000/month
WEIGHT	75 Lbs. (ES5000) / 80 Lbs. (ES5000L)
SIZE	17 x 16 x 10 In. (W x L x H)

Note: All care has been taken in the preparation of the specifications and description. As they are subject to change, they should not be part of any contract.