Paitec ES5500 Low-Volume Desktop Pressure Sealer and Folder

Product Spec Sheet



Call Us at 1-800-944-4573



MyBinding.com 5500 NE Moore Court Hillsboro, OR 97124

Toll Free: 1-800-944-4573

Local: 503-640-5920



the most advanced office desktop pressure sealer



Double Feed Detection To Stop Misfeeds

Exclusive Angled Seal Technology

LCD Touchpad Controls With Counter


Deep 150 Sheet Feed Table

Processes More Than 5,000 Forms Per Hour

Paychecks & A/P Checks
Invoices and Statements
Tax Forms
Utility Bills
Expiration & Renewal Notices
Promotional Coupons
Event Invitations
Sale Notifications
Medical Results
Grade Reports
ID cards



















ES5500



The ES5500 feed table holds up to 150 sheets of pressure seal forms at a time.



DOUBLE FEED DETECTION

Advanced sensors detect double feeds and automatically stop the ES5500 to prevent jams.



LCD TOUCH PAD CONTROL WITH COUNTER

The ES5500 is controlled by an easy to use touch pad with buttons for double feed detection, item and batch counter, and other controls.



COMPACT & DYNAMIC DESIGN

Convenient compact design features a small foot print so that you can place the ES5500 pressure sealer on your office desk.

MyBinding.com 5500 NE Moore Court Hillsboro, OR 97124

Toll Free: 1-800-944-4573

Local: 503-640-5920

\ <u>\</u>	SPEED AND DUTY CYCLE	5,000 Forms Per Hour; Up To 30,000 Forms Per Month
	INPUT TRAY	Up to 150 Pressure Seal Forms
7	COUNTER	Item And Batch
<u> </u>	FOLD SETTING	11" Z, V; 14" Z, EZ, V; Optional C Fold
	FORM SIZES	Depth - Up to 14" / Width - Up to 9"
	NOISE LEVEL	Less than 45 db
	WEIGHT	54 Lbs.
S	DIMENSIONS	13 x 15 x 11 In. (W x L x H)

Note: All care has been taken in the preparation of the specifications and description. As they are subject to change, they should not be part of any contract.