

Paitec IM4500 Mid- Volume Pressure Sealer

Product Spec Sheet



Provided by

MyBinding.com
When Image Matters.

Call Us at 1-800-944-4573



MyBinding.com
5500 NE Moore Court
Hillsboro, OR 97124
Toll Free: 1-800-944-4573
Local: 503-640-5920

IM4000/IM4000L

do all printing, folding, and sealing processes at once!



no envelope needed. seals single-sheet self mailers.

a **greener** way to mail®

Automatic Double Feed Diverter System

Integrates With A Variety of Printers




Manual Feeder for Pre-Folded Items

Folding Unit Slides Out For Easy Maintenance

Jetlink Communication With HP Printer

Perfect for Processing:

Paychecks
Invoices and Statements
Tax Forms
Utility Bills
Expiration & Renewal Notices
Promotional Coupons
Event Invitations
Sale Notifications
Medical Results
Grade Reports
ID cards





IM4000/ IM4000L

AUTOMATIC DOUBLE FEED DIVERTER SYSTEM

An integrated imaging system detects unrecognized papers and double feeds, diverting them into the by-pass tray.

JETLINK PRINTER COMMUNICATION

Communication between the printer and the IM4000/L allows the printer to stop printing in the event of a jam.

JETLINK

Business Partner



MANUAL FEEDER

A simple manual feeder allows the processing of single or damaged forms.

HI-TECH FOLDING & SEALING

The folding unit slides out on glides to permit easy access to the pressure rollers for maintenance.

WIDE RANGE COMPATIBILITY

Compatible with most laser printers that have a rear exit option.

specifications

FORM SIZE	A4/Letter/Legal Size (option)
INPUT TRAY	Compatible With Printers Up To 62ppm
SPEED	3,300 Sheets Per Hour
FOLD SETTING	Manual
PAPER WEIGHT	20 - 30 Lb.
BY-PASS TRAY	Avoids Reprints of Doubles
FOLD TYPE	Z, C, V, & Double Parallel
BATCH COUNTER	Digital Batch Counter
DOUBLE DETECTION	Detect Thickness of Every Single Form
OUTPUT CAPACITY	Standard 150 Optional 350/700 Stacker
PRINTER COMMUNICATION	JetLink Communication With HP Printers
DUTY CYCLE	50,000 Forms Per Monthh
WEIGHT	93 Lbs.
SIZE	23 x 16 x 15 In. (W x L x H)/Without Conveyor

Note: All care has been taken in the preparation of the specifications and description. As they are subject to change, they should not be part of any contract.